

Contents

Executive Summary

Section 1 Introduction

1.1	Report Objectives.....	1-1
1.2	Scope.....	1-3
1.3	Report Organization.....	1-3

Section 2 Data Evaluation

2.1	Data Evaluation	2-1
2.1.1	Fish Data.....	2-1
2.1.2	Turtle Data.....	2-3
2.1.3	Waterfowl.....	2-8
2.1.4	Floodplain Soil/Sediment.....	2-8
2.1.5	River Sediment.....	2-9
2.1.6	Surface Water.....	2-11
2.1.7	Air.....	2-11

Section 3 Exposure Assessment

3.1	Site Description.....	3-1
3.2	Determination of Exposure Pathway Significance	3-3
3.2.1	General Considerations	3-3
3.2.2	Quantitative Comparisons with Lower Fox River.....	3-4
3.3	Receptors.....	3-6
3.3.1	Subsistence Anglers	3-7
3.3.2	Sport Anglers	3-9
3.3.3	Nearby Residents.....	3-9
3.3.4	Recreationists	3-10
3.4	Exposure Pathways Summary.....	3-10
3.5	Exposure Assumptions.....	3-13
3.5.1	Generalized Assumptions	3-13
3.5.2	Specific Exposure Assumptions	3-16
3.5.2.1	Fish Ingestion Rates.....	3-16
3.5.2.2	Species Consumed.....	3-18
3.5.2.3	Reduction Factors	3-18
3.5.2.4	Fraction from Contaminated Source.....	3-19
3.5.3	Exposure Point Concentrations.....	3-20
3.5.4	Intake Equations.....	3-20

Section 4 Toxicity Assessment

4.1	Summary of Health Effects Associated with PCBs.....	4-1
4.2	Cancer Dose Response Evaluation.....	4-6
4.3	Noncancer Dose Response Evaluation	4-7

Section 5 Risk Characterization

5.1	Overview of Noncarcinogenic Hazard Characterization	5-1
5.2	Overview of Cancer Risk Characterization.....	5-2
5.3	Estimation of Noncarcinogenic Hazard and Carcinogenic Risk.....	5-2
5.3.1	Subsistence Anglers	5-3
5.3.1.1	Cancer Risks	5-3
5.3.1.2	Noncancer Hazard.....	5-19
5.3.2	Sport Anglers - High End.....	5-20
5.3.2.1	Cancer Risks	5-20
5.3.2.2	Noncancer Hazard.....	5-20
5.3.3	Sport Anglers - Central Tendency.....	5-21
5.3.3.1	Cancer Risks	5-21
5.3.3.2	Noncancer Hazard.....	5-21
5.3.4	Nearby Residents.....	5-21
5.3.4.1	Cancer Risks	5-21
5.3.4.2	Noncancer Hazard.....	5-22
5.3.5	Recreationalists.....	5-22
5.3.5.1	Cancer Risks	5-22
5.3.5.2	Noncancer Hazard.....	5-22
5.4	Summary.....	5-22

Section 6 Determination of Risk-Based Sediment and Floodplain Soil Concentrations

6.1	Calculation of Risk-Based Fish Concentrations.....	6-1
6.2	Calculation of Risk-Based Sediment Concentrations	6-3
6.3	Calculation of Risk-Based Soil Concentrations	6-5
6.4	Applicability of RBC_{sed}	6-6
6.5	Comparison of RBC Based on Human Health and Ecological Risk.....	6-7

Section 7 Uncertainty Assessment

7.1	Types of Uncertainty	7-1
7.2	Data Evaluation	7-2
7.3	Dose-Response Assessment	7-4
7.4	Exposure Assessment.....	7-5
7.5	Risk Characterization and Calculation of RBCs.....	7-9

Section 8 References

Appendices

Appendix A Biota-to-Sediment Accumulation Factors and Remedial Action Objectives

Appendix B Human Health Risk Assessment Data and Calculations

Appendix C U.S. Fish Wildlife Data

Appendix D Comparison of Lower Fox River and AP/PC/KR Exposure
Concentrations

Appendix E Toxicity Profile for Polychlorinated Biphenyls

Figures

1-1	Kalamazoo River Human Health Risk Assessment Study Area	1-2
2-1	Kalamazoo River Human Health Risk Assessment ABSA 3, 4, & 5.....	2-4
2-2	Kalamazoo River Human Health Risk Assessment ABSA 6, 7, & 8.....	2-5
2-3	Kalamazoo River Human Health Risk Assessment ABSA 9.....	2-6
2-4	Kalamazoo River Human Health Risk Assessment ABSA 10 & 11.....	2-7
2-5	Kalamazoo River Human Health Risk Assessment	2-10
3-1	Site Conceptual Model.....	3-11
3-2	Formula Used for the Calculation of Intake Fish Ingestion.....	3-21
3-3	Formula Used for the Calculation of Intake Floodplain Soils - Ingestion/ Dermal Contact/Inhalation.....	3-22
5-1	Range of Cancer Risk Estimates by ABSA and by Exposure Scenario, Based on Maximum Concentrations of PCBs in Smallmouth Bass (100% of Consumption).....	5-4
5-2	Range of Cancer Risk Estimates by ABSA and by Exposure Scenario, Based on Maximum Concentrations of PCBs in Smallmouth Bass (100% of Consumption).....	5-5
5-3	Range of Cancer Risk Estimates by ABSA and by Exposure Scenario, Based on Average Concentrations of PCBs in Smallmouth Bass (76% of Consumption) and Carp (24% of Consumption).....	5-6
5-4	Range of Cancer Risk Estimates by ABSA and by Exposure Scenario, Based on Maximum Concentrations of PCBs in Smallmouth Bass (76% of Consumption) and Carp (24% of Consumption).....	5-7
5-5	Range of Hazard Estimates by ABSA and by Exposure Scenario, Immunological Endpoint Based on Average Concentrations of PCBs in Smallmouth Bass (100% of Consumption).....	5-8
5-6	Range of Hazard Estimates by ABSA and by Exposure Scenario, Immunological Endpoint Based on Maximum Concentrations of PCBs in Smallmouth Bass (100% of Consumption).....	5-9
5-7	Range of Hazard Estimates by ABSA and by Exposure Scenario, Immunological Endpoint Based on Average Concentrations of PCBs in Smallmouth Bass (76% of Consumption) and Carp (24% of Consumption)	5-10
5-8	Range of Hazard Estimates by ABSA and by Exposure Scenario, Immunological Endpoint Based on Maximum Concentrations of PCBs in Smallmouth Bass (76% of Consumption) and Carp (24% of Consumption)	5-11
5-9	Estimated Cancer Risks for Former Impoundment Areas, Residential Exposure Scenario	5-12
5-10	Estimate Non-Cancer Hazards for Former Impoundment Areas, Residential Exposure Scenario.....	5-13
5-11	Estimated Cancer Risks for Former Impoundment Areas, Recreational Exposure Scenario	5-14

5-12	Estimated Non-Cancer Hazards for Former Impoundment Areas, Recreational Exposure Scenario	5-15
6-1	Protective Threshold Sediments/Surface Water PCB Concentrations for Mink	6-8
6-2	Protective Threshold PCB Surface Soil Concentrations (Range for NOAEC - LOAEC) for Ecological Receptors	6-9
7-1	Comparison of Cancer Risks Based on Maximum and Average Fillet Concentrations for Bass Only and Bass/Carp Consumption High End Sport Angler	7-7
7-2	Comparison of Hazard Quotients Based on Maximum and Average Fillet Concentrations for Bass Only and Bass/Carp Consumption High End Sport Angler	7-8
7-3	Confidence Intervals for Sediment Cleanup Goals Based on Variability in BSAF RBC_{sed} Based on Cancer Risk Target of 1 in 100,000	7-12
7-4	Confidence Intervals for Sediment Cleanup Goals Based on Variability in BSAF RBC_{sed} Based on Hazard Quotient Target of 1	7-13

Tables

E-1	Michigan Fish Advisory for PCBs.....	ES-2
E-2	Exposure Assumptions for Anglers.....	ES-3
E-3	Residential Exposure Assumptions.....	ES-4
E-4	Recreational Exposure Assumptions.....	ES-4
E-5	Summary of Risks and Hazards for Subsistence and Sport Anglers Average Concentrations.....	ES-6
E-6	Summary of Risks and Hazards for Subsistence and Sport Anglers Maximum Concentrations.....	ES-7
E-7	Summary of Risks and Hazards for Residents Living near Exposed Floodplain Soils Average Concentrations.....	ES-8
E-8	Summary of Risks and Hazards for Residents Living near Exposed Floodplain Soils Maximum Concentrations.....	ES-8
E-9	Summary of Risks and Hazards for Recreational Visitors to Exposed Floodplain Soils Average Concentrations.....	ES-8
E-10	Summary of Risks and Hazards for Recreational Visitors to Exposed Floodplain Soils Maximum Concentrations.....	ES-9
E-11	Risk-Based Fish Fillet Concentrations (RBC_{fish}).....	ES-10
E-12	Comparison of MDCH and HHRA Assumptions.....	ES-10
E-13	Risk-Based Sediment Concentration (RBC_{sed}) Protective of Smallmouth Bass and Carp (mg/kg sediment).....	ES-11
E-14	Risk-Based Floodplain Soil Concentrations (RBC_{soil}) Protective of Residents.....	ES-11
E-15	Risk-Based Floodplain Soil Concentrations (RBC_{soil}) Protective of Recreational Visitors.....	ES-12
2-1	Smallmouth Bass and Carp Fillet Data.....	2-2
2-2	API/PC/KR Biological Study Areas.....	2-2
2-3	Floodplain Soil Data.....	2-9
3-1	Comparison of Total PCB Exposure Point Concentrations of Lower Fox River and Kalamazoo River API/PC/KR Site.....	3-5
3-2	Comparison of Calculated Fox River and Scaled Kalamazoo River API/PC/KR Site Risks and Hazards.....	3-6
3-3	Exposure Assumptions for Sport and Subsistence Anglers API/PC/KR Site.....	3-14
3-4	Exposure Assumptions for Residents near Floodplains Soils API/PC/KR Site.....	3-14
3-5	Exposure Assumptions for Recreationists on Floodplain Soil.....	3-15
4-1	Range of PCB Slope Factors.....	4-7
4-2	Noncancer Toxicity Date - Oral/Dermal/Inhalation.....	4-8
5-1	Summary of Risks and Hazards for Subsistence and Sport Anglers Average Concentrations.....	5-16

5-2	Summary of Risks and Hazards for Subsistence and Sport Anglers Maximum Concentrations.....	5-17
5-3	Summary of Risks and Hazards for Residents Living near Exposed Floodplain Soils Average Concentrations.....	5-18
5-4	Summary of Risks and Hazards for Residents Living near Exposed Floodplain Soils Maximum Concentrations	5-18
5-5	Summary of Risks and Hazards for Recreational Visitors to Exposed Floodplain Soils Average Concentrations.....	5-18
5-6	Summary of Risks and Hazards for Recreational Visitors to Exposed Floodplain Soils Maximum Concentrations	5-19
6-1	Risk-Based Fish Fillet Concentrations (RBC_{fish}).....	6-1
6-2	Comparison of MDCH and HHRA Exposure Parameters	6-2
6-3	Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Human Health Risk Assessment Biota/Sediment Accumulation Factors, Bootstrap Distributions of BSAF for Smallmouth Bass.....	6-4
6-4	Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Human Health Risk Assessment Biota/Sediment Accumulation Factors, Bootstrap Distributions of BSAF for Common Carp.....	6-4
6-5	Risk-Based Sediment Concentration (RBC_{sed})	6-5
6-6	Risk-Based Floodplain Soil Concentrations (RBC_{soil}) Protective of Residents.....	6-6
6-7	Risk-Based Floodplain Soil Concentrations (RBC_{soil}) Protective of Recreational Visitors	6-6